

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| S1 | 5 | ((("6282454") or ("6061603") or ("5805442"))).FN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:26 |
| S2 | 0 | 709/206,228,229 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:24 |
| S3 | 9951 | (709/206,228,229).OCL.S. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:25 |
| S4 | 0 | convert\$4 same protocol same (many or multiple) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:28 |
| S5 | 15 | convert\$4 same protocol and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:27 |
| S6 | 2713 | convert\$4 same protocol same (many or multiple) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:29 |
| S7 | 208 | (convert\$4 same protocol same (many or multiple)).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:36 |
| S8 | 0 | (convert\$4 same protocol same (many or multiple)).ab,ti. and web\$browser and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:30 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S9 | 6 | (convert\$4 same protocol same (many or multiple)) and web \$browser and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:30 |
| S10 | 12 | (convert\$4 same protocol same (many or multiple)).ab,ti. and (binary) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:41 |
| S11 | 4 | (convert\$4 same (HTTP) same protocol same (many or multiple)).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:41 |
| S12 | 4 | (convert\$4 same (HTTP) same protocol same (many or multiple)).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:42 |
| S13 | 98 | (convert\$4 same (HTTP) same protocol).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:52 |
| S14 | 5 | S13 and S3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:47 |
| S15 | 2 | (convert\$4 same (HTTP) same protocol same binary).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:49 |
| S16 | 44 | (convert\$4 same (HTTP) same protocol same binary) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:50 |
| S17 | 7 | (convert\$4 same (HTTP) same protocol same binary adj2 data) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:52 |

| | | | | | | |
|-----|-----|--|--|----|-----|---------------------|
| S18 | 193 | (convert\$4 same (HTTP) same protocol same ((binary adj2 data) or audio or video)) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:53 |
| S19 | 8 | (convert\$4 same (HTTP) same protocol same ((binary adj2 data) or audio or video)).ab,tl. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:53 |
| S20 | 927 | (convert\$4 same (HTTP) same protocol) and web same server and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:52 |
| S21 | 347 | (convert\$4 same (HTTP) same protocol) same web same server and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:52 |
| S22 | 199 | (convert\$4 same (HTTP) same protocol) same web near server and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:59 |
| S23 | 7 | (convert\$4 same (HTTP) same protocol) same web near server same automati\$5 and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:53 |
| S24 | 21 | ((convert\$4 same (HTTP) same protocol) same web near server).ab,tl. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:59 |
| S25 | 274 | (significance or urgency) near3 data with value and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:38 |
| S26 | 0 | (significance or urgency) near3 data with value same (multiple or many) with protocol and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:38 |

| | | | | | | |
|-----|----|---|--|----|-----|---------------------|
| S27 | 3 | ((significance or urgency) near3 data with value and (multiple or many) with protocol and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:39 |
| S28 | 37 | ((significance or urgency) near3 data with value.ab,ti. and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:41 |
| S29 | 87 | determin\$4 same (significance or urgency) near3 data with value and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:42 |
| S30 | 79 | S29 not S28 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:41 |
| S31 | 21 | determin\$4 same (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:52 |
| S32 | 9 | (transmit\$4 or send\$4) same (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:52 |
| S33 | 1 | (assign\$4) near2 (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:46 |
| S34 | 9 | (assign\$4) with(significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:48 |
| S35 | 61 | (assign\$4) with(significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:49 |

| | | | | | | |
|-----|-------|--|--|----|-----|---------------------|
| S36 | 52 | S35 not S34 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:48 |
| S37 | 0 | (assign\$4) with(significance or urgency) near data and (multiple or many or several) with protocol and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:49 |
| S38 | 367 | determin\$4 same (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:52 |
| S39 | 216 | (transmit\$4 or send\$4) same (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:55 |
| S40 | 95 | (transmit\$4 or send\$4) with (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| S41 | 2 | ("0000709").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| S42 | 60772 | ("709").CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| S43 | 8 | S42 and S40 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| S44 | 2 | (transmit\$4 or send\$4) same (significance or urgency) near data same (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:56 |

| | | | | | | |
|-----|-------|---|--|----|-----|---------------------|
| S45 | 7 | (transmit\$4 or send\$4) same (significance or urgency) near data and (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:59 |
| S46 | 13 | (significance or urgency) near data and (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:59 |
| S47 | 6 | S46 not S45 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:59 |
| S48 | 4 | ((("6785730" or ("20010025322"))).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 15:32 |
| S49 | 26151 | (send\$4 or transmit\$4) with binary and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 08:29 |
| S50 | 20 | (send\$4 or transmit\$4) with binary with markup and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 08:29 |
| S51 | 1449 | communicat\$4 with binary with transmission and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 09:56 |
| S52 | 0 | communicat\$4 with binary with transmission same "quality data" and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 09:57 |
| S53 | 39 | communicat\$4 with binary with transmission same quality and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 09:57 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| S54 | 86 | convert\$4 with data same (binary and markup) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:08 |
| S55 | 29 | convert\$4 with data with (binary and markup) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:08 |
| S56 | 7687 | (send\$4 or transmit\$4) same convert\$4 with binary and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:17 |
| S57 | 3824 | (send\$4 or transmit\$4) with convert\$4 with binary and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:17 |
| S58 | 11 | (send\$4 or transmit\$4) with convert\$4 with binary with quality and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:17 |
| S59 | 665 | "binary data transmission" and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:37 |
| S60 | 317 | ("binary data transmission").ab, ti. and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:38 |
| S61 | 0 | ("binary data transmission" with markup).ab,ti. and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:38 |
| S62 | 0 | ("binary data transmission" same markup).ab,ti. and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:39 |

| | | | | | | |
|-----|---|--|--|----|-----|---------------------|
| S63 | 1 | ("binary data transmission" same bidirectional).ab,ti. and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:39 |
| S64 | 0 | ("binary data transmission").ab, ti. and "bidirectional HTTP" and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:40 |
| S65 | 1 | ("binary data transmission" same protocol).ab,ti. and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 10:41 |
| S66 | 0 | (send\$4 or transmit\$4) with ("bidirectional HTTP") and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 11:00 |
| S67 | 1 | ("bidirectional HTTP") and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/08 11:00 |

7/ 8/ 2008 5:05:42 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces

\10822224_10822227_convert_different_protocol.wsp